



Volvic Natural Spring Water – Annual Water Quality Report

At Volvic we are proud of the quality of our products. Volvic Natural Spring Water is distributed nationally and meets or exceeds all bottled water standards for quality and safety at the Federal and state level. The US Food and Drug Administration (FDA) regulates bottled water as a food. Our scientists and independent certified laboratories perform extensive tests on the water source and finished bottled water product to ensure we exceed or are compliant with all Federal and state bottled water requirements.

In addition to existing stringent regulatory standards, the International Bottled Water Association (IBWA) maintains a strict Model Code of quality for its members. Volvic is a member of IBWA and meets or exceeds the quality requirements of the IBWA's Model Code. Additionally, we take pride in the fact that our bottled water production plant is annually inspected, on an unannounced basis, by an independent testing organization, NSF International (NSF). Based on unannounced annual plant inspections and product testing, NSF certifies that Volvic Natural Spring Water complies with federal and state bottled water regulations and IBWA's Model Code. NSF is located in Ann Arbor, Michigan. For more information about IBWA and NSF, please visit their websites at <http://www.bottledwater.org> and <http://www.nsf.org> or call IBWA at 1-800-WATER-11 and NSF at 1-800-673-6275.

Volvic Natural Spring Water Source

Volvic Natural Spring Water is from a 1,520 square mile nature preserve in Auvergne, France. Volvic Natural Spring Water is naturally filtered as it slowly trickles down through hundreds of layers of porous puzzolana sand, basalt, and lava stone. As the water filters through these different volcanic layers, it absorbs natural minerals.

Volvic Natural Spring Water Bottling

Volvic Natural Spring Water is bottled exclusively at its protected source. – the Clairvic Spring. Volvic's source is approved by several regulatory agencies based on a detailed and extensive review. To ensure the purity and consistency of Volvic, automated bottling equipment is maintained under strict sanitary conditions and a quality control laboratory conducts several hundred quality tests daily, both at the water source and finished bottled water product.

Volvic Natural Spring Water Additional Safety Measures

Volvic Natural Spring Water is treated with Greensand Filtration – the use of manganese coated filters to reduce naturally present minerals from source water.

Water Quality Data

Attached is a copy of our most recent extensive water quality testing conducted by the independent certified laboratory, NSF. The NSF Report lists the water quality test results for over 175 substances including inorganics (metals, minerals, etc.), organics (pesticides, herbicides, etc.) and microbials as well as physical parameters. Volvic Natural Spring Water is analyzed for both regulated and unregulated substances. This Report contains the substance analyzed, approved test method used, test result, minimum detection limit, measurement unit, date analyzed and FDA Quality Standard for bottled water, if applicable. The FDA Quality Standards are the maximum allowable levels for over 80 substances in bottled water.

Volvic Natural Spring Water is in full compliance with all federal, state and industry bottled water standards.

For more information about Volvic Natural Spring Water, call 1-800-233-6200 or write to us at Volvic Consumer Care, PO Box 90296, Allentown, PA 18109-0296



Send To: 14380

Ms. Veunita Saxena
Danone Waters of America, Inc.
100 Hillside Avenue, 1st Floor
White Plains, NY 10603-2863

Facility: 14381

Societe des Eaux de Volvic
Usine de Chancet
63530 Volvic
France

Result	COMPLIANT	Report Date	07-FEB-2012
Customer Name	Societe des Eaux de Volvic		
Tested To	USFDA CFR Title 21 Part 165.110		
Description	USFDA 50 STATE - PRODUCT - [AA] Volvic Natural Spring Water		
Test Type	Annual Collection		
Job Number	A-00111192		
Project Number	9114736 (CLAA)		
Project Manager	Myla Estacio		

Thank you for having your product tested by NSF International.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization

Kurt Kneen - Director, Chemistry Laboratory

Date

07-FEB-2012



General Information

Standard: USFDA CFR Title 21 Part 165.110

Lot Number: 15 01 2014 4 0856

Product Description: USFDA 50 STATE - PRODUCT - [AA] Volvic Natural Spring Water

Sample Id: **S-0000876464**

Description: USFDA 50 STATE - PRODUCT - [AA] Volvic Natural Spring Water 15 01 2014 4 0856

Sampled Date: 01/23/2012

Received Date: 01/20/2012

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Physical Quality					
Alkalinity as CaCO3	5	62		mg/LCaCO3	
Color	5	ND	15	Color Unit	Pass
Specific Conductance	0.1	210		umhos/cm	
Corrosivity	0	-1.93			
Hardness, Total	2	63		mg/LCaCO3	
Odor, Threshold	1	ND	3	TON	Pass
Solids Total Dissolved	5	140	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	7.00			
Temperature	0	21		deg. C	
Bicarbonate	5	76		mg/L HCO3	
Disinfection Residuals/Disinfection By-Products					
Bromate	5	ND	10	ug/L	Pass
Chloramine, Total	0.05	ND	4	mg/L	Pass
Dichloramine	0.05	ND		mg/L	
Monochloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Bromochloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Monochloroacetic Acid	2	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Trichloroacetic Acid	1	ND		ug/L	
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Radiologicals					
Uranium	0.001	ND	0.03	mg/L	Pass
Inorganic Chemicals					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	0.0005	0.006	mg/L	Pass
Arsenic	0.002	0.003	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)					
Amphibole Fibers	0.2	ND		MFL	
Chrysotile Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	ND	2	mg/L	Pass



Sample Id: S-0000876464

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Inorganic Chemicals					
Beryllium	0.0005	ND	0.004	mg/L	Pass
Bromide	10	18		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.2	12		mg/L	
Chloride	2	14	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.01	ND	0.2	mg/L	Pass
Fluoride	0.1	0.2	1.4	mg/L	Pass
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.001	ND	0.005	mg/L	Pass
Magnesium	0.02	8.1		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.001	ND	0.1	mg/L	Pass
Nitrogen, Nitrate	0.05	1.5	10	mg/L N	Pass
Nitrogen, Nitrite	0.025	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	1.53	10	mg/L	Pass
Potassium	0.5	6.2		mg/L	
Selenium	0.002	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	5	12		mg/L	
Sulfur, Sulfate	0.5	8.2	250	mg/L	Pass
Surfactants (MBAS)	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
Organic Chemicals					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref. EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	10	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
3-Hydroxycarbofuran	1	ND		ug/L	
Aldicarb	1	ND		ug/L	
Aldicarb sulfone	1	ND		ug/L	
Aldicarb sulfoxide	1	ND		ug/L	
Carbaryl	1	ND		ug/L	
Carbofuran	1	ND	40	ug/L	Pass
Methomyl	1	ND		ug/L	



Sample Id: S-0000876464

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
Oxamyl	1	ND	200	ug/L	Pass
Herbicides (Ref: EPA 515.3)					
2,4,5-TP	0.2	ND	50	ug/L	Pass
2,4-D	0.1	ND	70	ug/L	Pass
Bentazon	0.2	ND		ug/L	
Dalapon	1	ND	200	ug/L	Pass
DCPA Acid Metabolites	0.2	ND		ug/L	
Dicamba	0.1	ND		ug/L	
Dinoseb	0.2	ND	7	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Multicomponent Pesticides and PCBs (Ref: EPA 505)					
Chlordane	0.2	ND	2	ug/L	Pass
PCB 1016	0.3	ND	0.5	ug/L	Pass
PCB 1221	0.4	ND	0.5	ug/L	Pass
PCB 1232	0.4	ND	0.5	ug/L	Pass
PCB 1242	0.3	ND	0.5	ug/L	Pass
PCB 1248	0.2	ND	0.5	ug/L	Pass
PCB 1254	0.2	ND	0.5	ug/L	Pass
PCB 1260	0.3	ND	0.5	ug/L	Pass
Total PCBs	0.4	ND	0.5	ug/L	Pass
Toxaphene	1	ND	3	ug/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
2,4 Dinitrotoluene	0.5	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Aldrin	0.1	ND		ug/L	
Atrazine	0.2	ND	3	ug/L	Pass
Benzo(a)Pyrene	0.1	ND	0.2	ug/L	Pass
bis(2-Ethylhexyl)adipate	2	ND	400	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	2	ND	6	ug/L	Pass
Butachlor	0.2	ND		ug/L	
Butylbenzylphthalate	2	ND		ug/L	
Di-n-butylphthalate	2	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
EPTC	0.5	ND		ug/L	
Heptachlor	0.1	ND	0.4	ug/L	Pass
Heptachlor Epoxide	0.1	ND	0.2	ug/L	Pass
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
Lindane	0.1	ND	0.2	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
Metolachlor	0.1	ND		ug/L	



Sample Id: S-0000876464

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
Metribuzin	0.1	ND		ug/L	
Molinate	0.1	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Simazine	0.2	ND	4	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,3-Dichloropropane	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
2,2-Dichloropropane	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Bromobenzene	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
Bromodichloromethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
Bromomethane	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
Chlorobenzene	0.5	ND	100	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Chloroform	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
cis-1,3-Dichloropropene	0.5	ND		ug/L	



Sample Id: S-0000876464

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
Dibromomethane	0.5	ND		ug/L	
Dichlorodifluoromethane	0.5	ND		ug/L	
Ethyl Benzene	0.5	ND	700	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
m+p-Xylenes	1	ND		ug/L	
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
n-Butylbenzene	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
tert-Butylbenzene	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Toluene	0.5	ND	1000	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
trans-1,3-Dichloropropene	0.5	ND		ug/L	
Trichloroethylene	0.5	ND	5	ug/L	Pass
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass



<<Additional Information>>

Sample Id: S-0000876464

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Physical Quality			
Alkalinity (Ref: SM 2320-B)	23-JAN-2012		
Color (Ref: SM 2120-B)	23-JAN-2012	10:55	
Specific Conductance (Ref: EPA 120.1)	23-JAN-2012		
Corrosivity (Ref: SM 2330-B)			
Hardness, Total (Ref: EPA 200.7)			
Odor, Threshold Number (Ref: EPA 140.1)	23-JAN-2012		
Solids, Total Dissolved (Ref: SM 2540-C)	23-JAN-2012		
Turbidity (Ref: EPA 180.1)	23-JAN-2012	11:35	
pH (Ref: SM4500-HB)	23-JAN-2012	9:37	
Bicarbonate (Ref: SM 2320-B)			
Disinfection Residuals/Disinfection By-Products			
Bromate (Ref: EPA 300.1)	25-JAN-2012		
Chloramines (Ref: SM 4500-Cl-G)	23-JAN-2012	10:37	
Chlorite (Ref: EPA 300.1)	25-JAN-2012		
Chlorine Dioxide (Ref: SM 4500-ClO2-D)	23-JAN-2012	10:37	
Haloacetic Acids (Ref: EPA 552.2)	25-JAN-2012		23-JAN-2012
Chlorine, Total Residual (ref. SM 4500CL-G)	23-JAN-2012	10:37	
Radiologicals			
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Inorganic Chemicals			
Aluminum (Ref: EPA 200.8)	25-JAN-2012		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
(1) * Asbestos in Water (Ref: EPA 600/4-83/043,100.1)	31-JAN-2012	1444	
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Bromide (Ref: EPA 300.1)	25-JAN-2012		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2012		
Chloride (Ref: EPA 300.0)	23-JAN-2012		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Cyanide, Total (Ref: EPA 335.4)	23-JAN-2012		
Fluoride (Ref: SM 4500-F-C)	25-JAN-2012		



<<Additional Information>>

Sample Id: S-0000876464

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Inorganic Chemicals			
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2012		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2012		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Nitrogen, Nitrate (Ref: EPA 300.0)	23-JAN-2012	14:32	
Nitrogen, Nitrite (Ref: EPA 300.0)	23-JAN-2012	12:50	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	25-JAN-2012		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	24-JAN-2012		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	25-JAN-2012		
Sulfate as SO4 by EPA 300.0	23-JAN-2012		
Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	23-JAN-2012	12:32	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
* Phenolics, Total Recoverable (Ref: EPA 420.2)	24-JAN-2012		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	25-JAN-2012		
Organic Chemicals			
Diquat (Ref: EPA 549.2)	3-FEB-2012		26-JAN-2012
Endothall (Ref: EPA 548.1) - (ug/L)	26-JAN-2012		25-JAN-2012
Glyphosate (Ref: EPA 547)	31-JAN-2012		
Perchlorate (Ref: EPA 314.0)	25-JAN-2012		
2,3,7,8-TCDD (Ref: EPA 1613B)	6-FEB-2012		4-FEB-2012
Carbamate Pesticides (Ref: 531.2)	26-JAN-2012		
Herbicides (Ref: EPA 515.3)	3-FEB-2012		1-FEB-2012
Multicomponent Pesticides and PCBs (Ref: EPA 505)	26-JAN-2012		
Semivolatile Organic Compounds (Ref: EPA 525.2)	7-FEB-2012		3-FEB-2012
Volatiles: EDB and DBCP (Ref: EPA 504.1)	26-JAN-2012		
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	23-JAN-2012		



Testing Laboratories:

	Flag	Id	Address
All work performed at: (Unless otherwise specified)	→	NSF_AA	NSF International 789 N. Dixboro Road Ann Arbor MI 48105
	(1)	BVNA	Bureau Veritas North America 3380 Chastain Meadows Pkwy 300 Kennesaw, GA 30144 Arizona License #AZ0675

References to Testing Procedures:

NSF Reference	Parameter / Test Description
C1010	Odor, Threshold Number (Ref: EPA 140.1)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3012	* Asbestos in Water (Ref: EPA 600/4-83/043,100.1)
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfate as SO4 by EPA 300.0
C3019	Cyanide, Total (Ref: EPA 335.4)
C3021	* Phenolics, Total Recoverable (Ref: EPA 420.2)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: SM4500-HB)
C3161	Hardness, Total (Ref: EPA 200.7)
C3166	Bicarbonate (Ref: SM 2320-B)
C3168	Chlorine Dioxide (Ref: SM 4500-ClO2-D)
C3169	Chloramines (Ref: SM 4500-Cl-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	Alkalinity (Ref: SM 2320-B)



References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)
C3210	Corrosivity (Ref: SM 2330-B)
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C3393	Chlorine, Total Residual (ref. SM 4500CL-G)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref. EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2)
C4202	Herbicides (Ref: EPA 515.3)
C4292	Multicomponent Pesticides and PCBs (Ref: EPA 505)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)

Certifications:

Arizona (# AZ0655)	California (# 03214 CA)	Connecticut (# PH-0625)
Florida (# E-87752 FL)	Hawaii	Indiana
Maryland (# 201)	Michigan (# 0048)	North Carolina (# 26701)
New Jersey (# MI770)	Nevada (# MI000302010A)	New York (# 11206)
Pennsylvania (# 68-00312)	South Carolina (# 81005)	Virginia (# 00045)
Vermont (# VT 11206)		

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

The reported result for Odor, Phenolics, Potassium, Specific Conductance and Total Residual Chlorine cannot be used for compliance purposes within the State of Arizona.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the detection limit for the instrument.